Autorenverzeichnis/Author Index

Abdou M., Kratky C., Uray G.: Crystal structure of (*S*,*S*)-diphenylethanediammonium (*R*,*R*)-tartrate 1039

Abdou W. M., s. Mahran M. R.

Aboutabl M. A., Fahmy H. M., Rahman H. A.: The electroreduction of pyrazolone glyoxalic ester derivatives in aqueous buffered media 991

Abushanab E., s. El-Kerdawy M. M.

Almasri Z., s. Künne L. D.

Altural B., Kollenz G.: Reactions of cyclic oxalyl compounds, Part 30. Some reactions with N-amino-pyrimidine derivatives 677

Alvarez de Laviada M. J., s. Sepulveda-Arques J.

Alvaro M., Baldovi V., Garcia H., Miranda M. A., Primo J.: Influence of β-substitution on the photochemistry of α,2-diacetoxystyrenes. Irradiation of phenyl, vinyl, and benzyl derivatives 267

Anderson T. E., s. Gershon H.

Anglada C., Claret J., Crusats J., Farrera J.-A., Ribó J. M., Trull F. R.: Reactivity of pyrrole pigments, Part 13. Identification of the reaction product generated from the bile pigments by the superoxide anion 653

Augustin M., Günther E.: Umsetzungen von Meldrumsäure mit Isocyanaten und Isothiocyanaten 1005

Avendaño C., Diego C. de, Elguero J.: Reduction of tri (hetero) arylcarbinols to tri(hetero)arylmethanes 649

Awad I. M. A.: Studies in the Vilsmeier-Haak reaction, VII. Synthesis and reaction of 3-methyl-1-phenyl-4-acetyl-hydrazono-2-pyrazoline-5-one(-5-thione) 1023

Badawey E.-S. A. M., Hassan A. M. M., Soliman F. S. G.: Oxadiazole condensed ring systems, I. Synthesis of 1,3,4-oxadiazolo[3,2-a]pyrimidin-5-ones as possible antimicrobial agents 665

Balaž J., s. Vlaović D.

Baldoví M. V., Garcia H., Miranda M. A., Primo J.: Electron transfer photofragmentations of 3-phenylpropiophenones 371

Baldoví V., s. Alvaro M.

Barron A. R., s. Feng T. L.

Bartel H.-G.: Die Konstruktion von elektronischen Superiorstrukturen 237

Bartus J., s. Vogel O.

Baumegger A., s. Hengge E.

Belaj F., Tripold R., Nachbaur E.: Kristallstruktur und thermisches Verhalten der Additionsverbindungen von Trithiocyanursäure mit Tetrahydrofuran und 1,4-Dioxan 99

Belaj F., s. Schubert-Zsilavecz M.

Bende Z., s. Toth G.

Beyer A., Schuster P.: Internal dynamics of flexible molecules: cyclohexane 399

Bogedain G., s. Wannagat U.

Bojilova A., s. Petkov I.

Borsdorf R., s. Himmelreich U.

Brunner H., Wutz K., Doyle M. P.: Asymmetrische Katalysen, 58. Mitt.: Enantioselektive S-H- und C-H-Insertionen mit optisch aktiven Rh(II)- und Cu(II)-Katalysatoren 755

Buchbauer G., Spreitzer H., Kneidinger M.: Zur Synthese von fungizid wirksamen Isocamphanderivaten. Synthesen in der Isocamphanreihe, 34. Mitt. 549
Buchbauer G., s. Silbernagel E., Spreitzer H.

Cardellini L., s. Bruni P.
Cea-Olivares R., Wingartz J., Ríos E., Valdés-Martinez J.: Coordinating ability of the heterocycles 1,3-dithia-2-arsa and stiba-cyclopentanes toward sulfur containing ligands, Part 1. Dialkyldithiocarbamate complexes 377
Cea-Olivares R., s. Valdes-Martinez J.
Ćetković G., s. Vlaović D.
Chauhan M., s. Mehrotra K. N.
Claret J., s. Anglada C.
Clarke D. D., s. Gershon H.
Claus P. K., s. Franek W.
Conti C., s. Bruni P.
Crusats J., s. Anglada C.
Cyvin B. N., s. Fuji Z.
Cyvin S. J., s. Fuji Z.
Czakis-Sulikowska D. M., Kuźnik B., Malinowska A.: Solvent extraction of lanthanide ions with 1-phenyl-3-methyl-4-benzoylpyrazolone-5 (*HPMBP*), II. Extraction of erbium(III), ytterbium(III), and lutetium(III) by *HPMBP* from aqueous-methanol solutions 585
Czech K., s. Epsztajn J.

Dartmann M., s. Reisch J.
Deeb A., Essawy A., El-Gendy A. M., Shaban A.: Heterocyclic synthesis with 3-cyano-2(1*H*)pyridinethione: synthesis of 3-oxo-2,3-dihydroisothiazolo[5,4-b]pyridine and related compounds 281
Demerseman P., s. Martin R.
Dewan R. K., Mehta S. K.: Correlation between topological features and surface tension of binary liquid mixtures 593
Dias J. R., Liu B.: A comprehensive study of isoskeletal analogs of dibenzo[a,c]anthracene 13
Diego C. de, s. Avendano C.
Dietrich A., s. Schumann H.
Djoković D., s. Vlaović D.
Dobrowolski R., Jaroniec M., Swiatkowski A.: Adsorption of water vapor on modified activated carbons 971
Dörrer E., s. Spreitzer H.
Doyle M. P., s. Brunner H.
Doyle T. R., Vogl O.: A facile synthesis of fluorochlorobromoacetic acid 31
Dworczak R., Sterk H., Junek H.: Über 4-Dicyanmethylen- und 4-Tricyanpropylidenhomophthalimide. Synthesen mit Nitrilen, 85. Mitt. 189

El-Ashmawy M. B., s. El-Emam A. A.
El-Dine S. A. S., s. Kassem M. G.
El-Emam A. A., Moustafa M. A., El-Subbagh H. I., El-Ashmawy M. B.: Triazoles and fused triazoles, III.: Facile and efficient synthesis of 2,5-disubstituted *s*-triazolo[3,4-b]-1,3,4-thiadiazoles 221
El-Emam A. A., s. El-Kerdawy M. M.
El-Gendy A. M., s. Deeb A.
El-Kerdawy M. M., El-Emam A. A., El-Subbagh H. I., Abushanab E.: Synthesis of substituted 4*H*-thieno[2,3-b][1]benzothiopyran-4-ones as possible schistosomicidal agents 45
El-Subbagh H. I., s. El-Emam A. A., El-Kerdawy M. M.
Elguero J., s. Avendano C.
Epsztajn J., Jóźwiak A., Czech K., Szcześniak A. K.: Application of organolithium and related reagents in synthesis, VI. A general study of the lithiation of secondary picoline- and isonicotine-amides 909
Essawy A., s. Deeb A.

Fabjan C., s. Kronberger H.
Fahmy H. M., s. Aboutabl M. A.
Falk H., Grubmayr K., Marko M.: Beiträge zur Chemie der Pyrrolpigmente, 85. Mitt.: Darstellung und Lumineszenz hetero-bichromophorer Oligopyrrol-Systeme 209
Falk H., Marko H., Müller N., Schmitzberger W., Stumpe H.: Reconstitution of apomyoglobin with bile pigments 893
Falk H., Marko H., Müller N., Schmitzberger W.: On the chemistry of pyrrole pigments, LXXXVII. The apomyoglobin heme pocket as a reaction vessel in bile pigment chemistry 903
Falk H., Schoppel G.: Beiträge zur Chemie der Pyrrolpigmente, 84. Mitt.: Darstellung und Lumineszenz bichromophorer 5-Aryl-dipyrrin-Derivate 67
Falk H., Wöss H.: Beiträge zur Chemie der Pyrrolpigmente, 83. Mitt.: Zum Einfluß geladener Zentren auf die Absorptionsspektren von 1,19-Bilindionen 59
Falk H., Wöss H.: Beiträge zur Chemie der Pyrrolpigmente, 86. Mitt.: Darstellung, Struktur und Eigenschaften bichromophorer 10-Arylbilin-1,19-dione 317
Farrera J.-A., s. Anglada C.
Feng T. L., Tsangaris J. M., Barron A. R.: Complexes of aluminium(III) with picolinic and pipecolinic acids. An ^{27}Al-NMR investigation 113
Ferenc W.: Preparation and properties of yttrium, lanthanum, and lanthanide 3,4-dinitrobenzoates 739
Fidaner Z., s. Kaban S.
Fontana A., s. Pizzino T.
Franek W., Claus P. K.: Alkyl- und Arylsulfensäureanilide durch Cycloeliminierung von Alkenen aus Sulfimiden, 2. Thermolyse von 3-Alkylthiopropannitril- bzw. 3-Alkylthiopropansäuremethylester-S-(N-aryl)-imiden 385
Franek W., Claus P. K.: Alkyl- und Arylsulfensäureamide durch Cycloeliminierung von Alkenen aus Sulfimiden, 3. Mitt.: Bildung primärer und sekundärer aliphatischer Sulfenamide des Typs $RSNH_2$ bzw. $RSNHR^1$ 539
Fritsche H.-G., s. Künne L. D.
Fuji Z., Cyvin S. J., Cyvin B. N.: "Crowns", and aromatic sextets in primitive coronoid hydrocarbons 421
Fukuda Y., s. Linert W.

Gałdecki Z., Luciak B., Redliński A. S., Kaczmarek K., Leplawy M. T.: Synthese, Kristallstruktur und Konformation von N-Acetyl-$C^{\alpha,\alpha}$-di-n-butylglycin 511
Gamsjäger H., s. Königsberger E.
García H., s. Alvaro M., Baldoví M. V.
Gershon H., Clarke D. D., Grefig A. T., Anderson T. E.: Some diazinon analogues containing the 4-trifluoromethyl group 289
Giorgini E., s. Bruni P.
Glaum H., Hoppe R.: Ein neuer Typ quaternärer Oxometallate: $K_3Na_2[InO_4]$ 853
Gospodova T. S., Stefanovsky Y. N.: Epimerization and kinetic protonation as factors determining the stereochemistry of the Michael reaction 275
Grefig A. T., s. Gershon H.
Grubmayr K., s. Falk H.
Grundon M. F., Probst W., Reisch J.: Natural product chemistry, Part 132. Synthesis and oxidative cyclization of 1,3-dihydroxy-10-methyl-4-(3-methylbut-2-enyl)-9(10*H*)-acridinone (glycocitrine-II) 157
Günther E., s. Augustin M.
Gupta R.: Kinetics and mechanism of oxidation of acetanilide by quin-

quevalent vanadium in acid medium 571
Gustav K., Storch M.: Vibronisches Spektralverhalten von Molekülen, 16. Mitt.: Theoretische Molekülgeometrien und Spektrumstruktur der Fluoreszenz des Anthanthrens 141
Gustav K., Storch M.: Vibronisches Spektralverhalten von Molekülen, 14. Mitt.: Zum Einfluß der vibronischen Kopplung auf die S_0-S_1-Absorption und Fluoreszenz von ausgewählten 1,3-Diketonato-Bor-Komplexen im Rahmen der Herzberg-Teller-Näherung 437
Gustav K., Storch M.: Nicht-radiative Desaktivierung von Molekülen, III. Theoretische Bestimmung der inneren Konversion von ausgewählten 1,3-Diketonato-Bor-Komplexen unter Berücksichtigung des Akzeptor- und Promotorverhaltens 447
Gusterhuber D., s. Schubert-Zsilavecz M.
Gutmann V., s. Linert W.

Hajibegli H., s. Wannagat U.
Hassan A. M. M., s. Badawey E.-S. A. M.
Hassan F. S., s. Idriss K. A.
Hassler K.: Synthese einiger 1-Naphthylsilane und -disilane 361
Hassler K., Pöschl M.: Schwingungsspektren und Synthese einiger Phenyl- und *p*-Tolyldisilane 365
Häßner R., s. Himmelreich U.
Heinisch G., Holzer W.: On the application of homonuclear NOE difference spectroscopy as a convenient tool for configurational assignment of compounds with a C=N bond 837
Hengge E., Kalchauer W.: Neue Wege zu Polysilanen 793
Hengge E., Schiefer D., Baumegger A.: Über neue Siliciumschichtverbindungen aus Calciumdisilicid 259
Henkel G., s. Reisch J.
Hiebl J., Zbiral E.: Transformationen von β-Glycofuranosylisocyaniden in Tetrahydrofuranderivate 683
Hiebl J., Zbiral E.: Improved synthesis of 6-deoxy-1,2-O-isopropylidene-β-*L*-talofuranose and 6-deoxy-1,2-O-isopropylidende-β-*L*-idofuranose 691
Himmelreich U., Häßner R., Thomas P., Tschwatschal F., Borsdorf R.: NMR-spektroskopische Untersuchungen zur *E*/*Z*-Isomerie von substituierten Dithiocarbazinsäurederivaten 923
Holzer W., s. Heinisch G.
Hoppe R., s. Glaum H.
Hussain R. A., s. Reisch J.

Idriss K. A., Saleh M. S., Seleim M. M., Hassan F. S., Idriss S. K.: A new spectrophotometric method for the determination of trace amounts of palladium 625
Idriss K. A., s. Saleh M. S.
Idriss S. K., s. Idriss K. A., Saleh M. S.
Issa Y. M., s. Mohamed H. A.

Jaroniec M., s. Dobrowolski R.
Jelikić-Stankov M. s. Malešev D.
Jóźwiak A., s. Epsztajn J.
Junek H., s. Dworczak R., Tauber C.
Juranic I., s. Vlaović D.

Kaban S., Fidaner Z.: Synthesis of Schiff bases by condensation of hetarylcarboxaldehydes with *p*-phenetidine 525
Kaczmarek L., Nantka-Namirski P.: Synthesis of N-monosubstituted [2,2′-bipyridyl]-3,3′-diamines 821
Kazmarek K., s. Gałdecki Z.
Kalchauer W., s. Hengge E.
Kalinowski M. K., s. Urbanczyk A.
Kappe T., s. Schober B. D.
Kassem M. G., El-Dine S. A. S., Soliman F. S. G., Saudi M. N. S.: Reactions with pyrrolidine-2,4-diones,

II. New approaches to the synthesis of substituted 5,6-dihydropyrrolo [3,4-d] [1,2,3]-triazol-4(2*H*, 4*H*)-ones 671
Kellner K., Rodewald L.: Zur Reaktion von Chlorsilanen mit Dialkylphosphonaten 1031
Khidre M. D., s. Mahran M. R.
Kienzl H., s. Spreitzner H.
Klade M., s. Tauber C.
Kneidinger M., s. Buchbauer G.
Kodlaa A., s. Opitz C.
Kohler H.-H., s. Spurny J.
Kolbe A., s. Schenzel K.
Kollenz G., s. Altural B.
Koller H., s. Stanetty P.
Königsberger E.: Analysis of Lippmann diagrams: Binary alkali halide systems 999
Königsberger E., Gamsjäger H.: Analysis of phase diagrams employing Bayesian excess parameter estimation 119
Koppelhuber-Bitschnau B., Mautner F. A., Yvon K.: Low-temperature structural phase transition in $SrMo_6S_8$ studied by X-ray powder diffraction 505
Krajnik P., Kratky C., Schlögl K., Widhalm M.: Ferrocene derivatives, Part 70. Syntheses and stereochemistry of chiral 1,1′-biferrocenyls. (Stereochemistry of metallocenes, Part 55) 945
Krajnik P., Schlögl K., Widhalm M.: Ferrocene derivatives, Part 69. Preparative separation of ismeric trisubstituted ferrocenes 413
Kratky C., s. Abdou M., Krajnik P.
Krayannis M. I., s. Veltsistas P. T.
Krebs B., s Reisch J.
Krenmayr P., s. Schneider E.
Krischner H., s. Mautner F. A.
Kronberger H., Fabjan C.: Untersuchungen über die selektive Katalyse der Elektrodenreaktionen im Wasserstoff-Brom-Speichersystem 979
Künne L. D., Fritsche H.-G., Almasri Z.: SW-Xα-Untersuchungen zur Bindung eines interstitiellen Fe-Atoms in einem Zr-Oktaeder 493
Kúznik B., s. Czakis-Sulikowska D. M.

Lajšić S., s. Vlaović D.
Leplawy M. T., s. Gałdecki Z.
Lévai A., Tóth G., Szőllősy A., Timár T.: Synthesis of benzopyran derivatives, XV. Preparation of arylsulfonyloxy-2,2-dimethyl-2*H*-chromenes 403
Lévai A., s. Puzicha G.
Linert W., Pouresmaeil B., Gutmann V., Mafune K., Fukuda Y., Sone K.: Spectroscopic and electrochemical studies on dinuclear mixed Ni(II) chelates 765
Liu B., s. Dias J. R.
Luciak B., s. Gałdecki Z.

Mafune K., s. Linert W.
Maggio F., s. Pizzino T.
Mahran M. R., Abdou W. M., Khidre M. D.: Organophosphorus chemistry, XII. Reaction of furil with alkyl phosphites and ylide-phosphoranes 51
Majdan M.: Correlation in the lanthanide series 731
Malešev D., Radović Z., Jelikić-Stankov M.: Investigation of the uranil(II)-3-hydroxyflavone complex 455
Malinowska A., s. Czakis-Sulikowska D. M.
Marko H., s. Falk H.
Markov P., s. Petkov I.
Martin R., Demerseman P.: Lewis acids catalyzed Fries rearrangement of isopropylcresol esters 227
Mautner F. A., Krischner H.: Verfeinerung der Kristallstruktur des Dicäsium-Tetraazido-Zinkates $Cs_2Zn(N_3)_4$ und die Kristallstrukturen komplexer Zinkazide 91

Mautner F. A., Krischner H.: Die Kristallstruktur von $Cs_5Eu(N_3)_8$ 781
Mautner F. A., s. Koppelhuber-Bitschnau B.
Medio-Simón M., s. Sepúlveda-Arques J.
Mehandjiev D., s. Yanakiev N.
Mehrotra K. N., Chauhan M., Shukla R. K.: Studies on ultrasonic velocity and electrical conductivity of samarium soaps in non-aqueous medium 461
Mehrotra K. N., Tandon K.: Ultrasonic measurements and other allied parameters of yttrium soaps in mixed organic solvents 577
Mehta S. K., s. Dewan R. K.
Meléndez A., s. Valdés-Martínez J.
Meyer A., Schlögl K., Pertlik F.: Stereochemistry of planarchiral compounds, Part XIII. Crystal structure of meso-10,10′-dibromo-2,2′-bi-(1,6-methano-[10]-annulenyl) 1045
Mikenda W., s. Steinwender E.
Mikhailov O. V., Polovnyak V. K.: Complexing processes on the immobilized matrices of hexacyanoferrate(II) nickel(II) and nitrogen-sulfur ligands in thin gelatin layer 601
Milićev S., s. Pintarič M.
Miranda M. A., s. Alvaro M., Baldovi M. V.
Mittelbach M., s. Poklukar N.
Mohamed H. A., Omar M. M., Issa Y. M.: Chelation beaviour of lanthanones with *o*-arsonodibenzoylmethanephenylhydrazone 351
Moretto H.-H., s. Wannagat U.
Moussa A., s. Silwanis B. A.
Moustafa M. A., s. El-Emam A. A.
Müller H., s. Opitz C.
Müller N., s. Falk H.
Müller P., s. Spreitzer H.
Müller-Buschbaum H., s. Neubacher M., Soll M.
Murdoch J. R., s. Vogl O.

Nachbaur E., s. Belaj F.
Nantka-Namirski P., s. Kaczmarek L.
Neubacher M., Müller-Buschbaum H. Ein neues Oxoruthenat(IV): $Ba_4Ru_{1.1}Mn_{1.9}O_{10}$ mit statistischer Besetzung der M^{4+}-Metallpositionen 635
Nitzsche R., Röbisch G.: Zur Kinetik der Reaktion von Aluminium(III) mit Ferron (7-Jod-chinolin-8-ol-5-sulfonsäure) in wäßrigem Chloressigsäure-Medium 471

Omar M. M., s. Mohamed H. A.
Opitz C., Müller H., Kodlaa A.: Quantenchemische Untersuchungen der Elementarprozesse beim Plasmaätzen im System Fluor/Silizium 311

Pallagi I., s. Reiter J.
Perlepes S. P., s. Veltisistas P. T., Zafiropoulos T. F.
Pertlik F.: Crystal structures and hydrogen bonding schemes in four benzamide derivatives (2-hydroxybenzamide, 2-hydroxythiobenzamide, 2-hydroxy-N,N-dimethylbenzamide, and 2-hydroxy-N,N-dimethyl-thiobenzamide) 129
Pertlik F., s. Meyer A.
Petkov I., Bojilova A., Markov P.: Photochemical dehydrogenation of 3-acetyl-3,4-dihydrocoumarin 85
Pichler A., s. Spreitzer H.
Pilz I., s. Wilhelm P.
Pindur U., Witzel H.: First electrophilic substitution of 4-methoxyindole with triethyl orthoformate as an a^1-synthon 77
Pintarič M., Milićev S., Volavšek B.: Untersuchungen der Hydroxylammonium-Aluminate 357
Pizzino T., Fontana A., Maggio F.: Cadmium(II) complexes of cytosine 1
Poklukar N., Mittelbach M.: Ozonolyse von Olefinen, III. Säurekatalysierte Ozonolyse von 3-Hexen-1,6- und 2-Penten-1,5-dicarbonylderivaten 203

Polovnyak V. K., s. Mikhailov O. V.
Pongó L., s. Reiter J.
Pöschl M., s. Hassler K.
Pouresmaeil B., s. Linert W.
Primo J., s. Alvaro M., Baldovi M. V.
Probst W., s. Grundon M. F., Reisch J.
Pürstinger G., s. Stanetty P.
Puzicha G., Lévai A., Snatzke G.: Oxazepines and thiazepines, XXI. CD-spectra of optically active 2-methyl-2,3-dihydro-1,5-benzothiazepin-4(5*H*)-ones and related 3-phenylthiobutyric acid derivatives 293

Radović Z., s. Malešev D.
Rahman H. A., s. Aboutabl M. A.
Rajca A., Tišler M.: Some transformations of 1-(1,2,3,4-tetrahydronaphthylidene)-malononitrile or cyanoacetate 697
Reddy K. B.: Kinetics and mechanism of oxidative deoximation of benzaldoxime by diperiodatocuprate(III) in *tert.*-butanol-water medium 109
Redliński A. S., s. Gałdecki Z.
Reich P., s. Schenzel K.
Reisch J., Hussain R. A., Krebs B., Dartmann M.: Natural product chemistry, Part 100. The structure of carissone, $C_{15}H_{24}O_2$ 941
Reisch J., Salehi-Artimani R. A., Henkel G.: Acetylenchemie, 14. Mitt.: PTC-Umsetzung von 9(10*H*)-Acridinon mit 3-Chlor-3-phenyl-1-propin und 3-Brom-1-phenyl-1-propin 147
Reisch J., Wickramasinghe A.: Natural product chemistry, Part 137. Oxidation of acridone alkaloids: Synthesis of 5-methoxyacronycine 709
Reisch J., Wickramasinghe A., Probst W.: Natural product chemistry, Part 136. A convenient synthesis of rutacridone and isorutacridone 829
Reisch J., s. Grundon M. F.
Reiter J., Pongó L., Somorai T., Pallagi I.: On triazoles, XIX. The reactions of 5-amino-1,2,4-triazoles with functionalized acetoacetic esters 165
Ribó J. M., s. Anglada C.
Rios E., s. Cea- Olivares R.
Röbisch g., s. Nitzsche R.
Rodewald L., s. Kellner K.
Rodinger E., s. Spreitzer H.
Rößlhuber I., s. Spreitzer H.
Rossmanith K., Unfried P.: Verbesserte Craig-Verteilung mit einer vollautomatischen, erweiterten Apparatur. Craig-Verteilung von Seltenerdelementen im System Tributylphosphat-Salpetersäure, 13. Mitt. 609

Salcedo R., s. Valdés-Martínez J.
Saleh M. S., Idriss K. A., Sedaira H., Idriss S. K.: Complex equilibria and spectrophotometric determination of mercury(II) with lawsone 481
Saleh M. S., s. Idriss K. A.
Saleh-Artimani R. A., s. Reisch J.
Saudi M. N. S., s. Kassem M. G.
Schenzel K., Kolbe A., Reich P.: Zum Schwingungsverhalten pentakoordinierter Zinn(IV)-organischer Verbindungen. IR- und Raman-Untersuchungen an 2,8,9-Tricarbastannatranen 615
Schiefer D., s. Hengge E.
Schlögel K., s. Krajnik P., Meyer A.
Schmitzberger W., s. Falk H.
Schneider E., Krenmayer P., Varmuza K.: A routine method for the analysis of mononitro-PAH in immission and emission samples 393
Schober B. D., Kappe T.: Pyridazines with heteroatom substituents in position 3 and 5, Part VII. Halogenation of 2-aryl-5-hydroxy-pyridazin-3(2*H*)-ones in position 4 565
Schoppel G., s. Falk. H.
Schubert-Zsilavecz M., Gusterhuber D., Belaj F.: 1,2-Oxazoline durch Addition von Trimethylbenzonitriloxid an 2-Hydroxyethylamino-1,4-benzochinone und deren Chinolderivate 555

Schumann H., Sun J., Dietrich A.: Metallorganische Verbindungen der Lanthanoide, 60. Mitt.: Synthese und Röntgenstrukturanalyse von Cyclooctatetraenyl-(methylcyclopentadienyl)-(tetrahydrofuran)yttrium (III) 747
Schuster P., s. Beyer A.
Sedaira H., s. Saleh M. S.
Seleim M. M., s. Idriss K. A.
Sepúlveda-Arques J., Alvarez de Laviada M. J., Medio-Simón M.: Cycloaddition reactions of 5-deutero-1-phenyl-4-vinylpyrazole. Stereoselective cis-"ene" reaction and simplification of nmr spectra of mixtures of cycloadducts 81
Shaban A., s. Deeb A.
Shehata I. A.: Synthesis of some fused quinoline derivatives 1017
Shukla R. K., s. Merhotra K. N.
Silbernagel E., Spreitzer H., Buchbauer G.: Nichtflüchtige Inhaltsstoffe von *Artemisia afra* 433
Silwanis B. A., Moussa A.: The reaction of aroylacetaldehydes with aroylhydrazines 517
Snatzke G., s. Puzicha G.
Soliman F. S. G., s. Badawey E.-S. A. M., Kassem M. G.
Soll M., Müller-Buschbaum H.: Das erste gemischte Erdalkalimetall-Oxomercurat: $Ba_{0.75}Sr_{0.25}HgO_2$ 787
Somorai T., s. Reiter J.
Sone K., s. Linert W.
Spreitzer H.: Zur Synthese von 9,9-Dimethyl-2-oxa-bicyclo[3.3.1]nonan 847
Spreitzer H., Müller P., Buchbauer G.: Derivate der 5,6-Dihydro-2*H*-pyran-3-carbonsäure 963
Spreitzer H., Rodinger E., Pichler A., Buchbauer G.: Biologisch aktive 3,3-Dimethylbicyclo[2.2.2]octane. Synthesen in der Isocamphanreihe, 35. Mitt. 955
Spreitzer H., Rößlhuber I., Kienzl H., Dörrer E., Buchbauer G.: Struktur/Geruchs-Beziehungen von mit β-Santalol verwandten Verbindungen: *E*-Homo-β-santalol und *E*-Dehydrohomo-β-santalol 195
Spreitzer H., s. Buchbauer G., Silbernagel E.
Spurny J., Kohler H.-H.: Phasenumwandlung in mizellaren Lösungen von ionogenen Tensiden und Metallionen 501
Stanetty P., Koller H., Pürstinger G.: 2,3-Dihydro-7-benzofurancarbonsäuren 883
Stefanovsky Y. N., s. Gospodova T. S.
Steinwender E., Mikenda W.: O-H···O (S) Hydrogen bonds in 2-hydroxy(thio)benzamides. Survey of spectroscopic and structural data 809
Sterk H., s. Dworczak R., Tauber C.
Storch M., s. Gustav K.
Stumpe H., s. Falk H.
Sun J., s. Schumann H.
Swiatkowski A., s. Dobrowolski R.
Szcześniak A. K., s. Epsztajn J.
Szejtli G., s. Tóth G.
Szőllősy A., s. Lévai A.

Tandon K., s. Mehrotra K. N.
Tauber C., Klade M., Sterk H., Junek H.: Ein Beitrag zur Chemie des 2,3-Dihydro-3-oxo-benzo[b]thiophen-1,1-dioxids. Synthesen mit Nitrilen, 86. Mitt. 299
Thomas P., s. Himmelreich U.
Timár T., s. Lévai A.
Tischer T., s. Tóth G.
Tišler M., s. Rajca A.
Tőke L., s. Tóth G.
Toscano R. A., s. Valdés-Martínez J.
Tosi G., s. Bruni P.
Tóth G., Tischer T., Bende Z., Szejtli G., Tőke L.: 1,3-Dipolare Cycloadditionen von 3,4-Dihydro-6,7-dimethoxyisochinolinium-N-methoxycarbonylmethylid mit N-substituierten Maleinimiden 529
Tóth G., s. Lévai A.

Tripold R., s. Belaj F.
Trull F. R., s. Anglada C.
Tsangaris J. M., s. Feng T. L., Veltsistas P. T.
Tschwatschal F., s. Himmelreich U.

Unfried P., s. Rossmanith K.
Uray G., s. Abdou M.
Urbańczyk A., Kalinowski M. K.: Solvent effects on the electronic spectra of oxovanadium(IV) β-diketonates. Comments on the papers of Ebraheem et al. 879

Valdés-Martínez J., Toscano R. A., Salcedo R., Cea-Olivares R., Meléndez A.: Semicarbazones and thiosemicarbazones, XII. Crystal structure of salicylaldehyde semicarbazone 641
Valdés-Martínez J., s. Cea-Olivares R.
Varmuza K., s. Schneider E.
Veltsistas P. T., Perlepes S. P., Krayannis M. I., Tsangaris J. M.: Use of ethyl oxamate for syntheses of oxamato(-1) and novel μ-oxamato(-2) complexes 703
Vlaović D., Četković G., Juranic I., Balaž J., Lajšić S., Djoković D.: The application of levulinic acid and 5-nitro-2-furylmethylenediacetate in the total synthesis of some novel biologically active (5-nitro-2-furyl)azomethines 931
Vogl O., s. Doyle T. R.
Volavšek B., s. Pintarič M.

Wannagat U., Bogedain G., Hajibegli H., Moretto H.-H.: Beiträge zur Chemie der Silicium-Stickstoff-Verbindungen, 166. Mitt.: Organylaminosubstitution an Hexachlordisilazan 865
Wickramasinghe A., s. Reisch J.
Widhalm M.: Axialchiral macrocyclic diphosphines 1053
Widhalm M., s. Krajnik P.
Wilhelm P., Pilz I.: Small-angle X-ray scattering studies of the open and closed conformations of aspartate aminotransferase 727
Wingartz J., s. Cea-Olivares R.
Witzel H., s. Pindur U.
Wöss H., s. Falk H.
Wutz K., s. Brunner H.

Yanakiev N., Mehandjiev D.: Additive prediction of thermodynamic functions of hydrofluorides 875
Yvon K., s. Koppelhuber-Bitschnau B.

Zafiropoulos T. F., Perlepes S. P.: Synthesis und characterization of the complexes of lanthanide(III) chlorides and nitrates with the tetradentate Schiff base diethyl(ethylenebis-β-aminocrotonate) 715
Zakrzewski J.: A reaction of nitroxides with ethyl mercaptane. A mild method for the conversion of nitroxides into their corresponding amines 803
Zalewicz M.: Preparation and examination of properties of lanthanide chloride salts with hexamethylenetetramine 249
Zbiral E., s. Hiebl J.

Sachverzeichnis/Subject Index

Absolute configuration, diphenylethanediammonium tartrate 1039
Absolute configuration, in bile pigments 903
Absorption spectra, s. Electronic spectra
Acetanilide, oxidation of 571
α-Acetoxystyrenes 267
3-Acetyl-3,4-dihydrocoumarin 85
Acetyldi-*n*-butylglycine, crystal structure 511
Acoustic parameters 577
9(10*H*)-Acridinone derivative, crystal structure of 147
Acridone alkaloids 157, 709
Acronycine 709
Acrylonitrile 385, 539
Activated carbons 971
Active malonates 665
Additive prediction, of thermodynamic functions 875
Adsorption isotherm 971
Adsorption, of water vapour 971
Alkali halides, Lippmann diagrams of 999
Alkaloids, acridone- 157, 709
Alkanolysis, in siloxanes 865
Alkoxypolysilanes 259
Alkyl phosphites 51
O-Alkylation 1017
α-Alkylation 195
Alkylation 147, 821
Alkylation, C- and O- 829
Aluminates, hydroxylammonium- 357
Aluminium(III) 471
Aluminium(III) complexes 113
1-Amino-4-hydroxyanthraquinone 625
α-, β-Amyrin 433
Anthanthrene, fluorescence of 141
Anthraquinone, 1-amino-4-hydroxy- 625
Antiviral 847
Apomyoglobin 893, 903
Aromatic sextet 421
Aroylacetaldehyde aroylhydrazones 517
Aroylhydrazones, aroylacetaldehyde- 517
Arsa 377
o-Arsonodibenzoylmethanephenylhydrazone 351
Artemisia afra 433
10-Aryl-1,19-bilindiones 59
5-Aryl-dipyrrins 67
Arylazopyridines 165
Arylsulfonyloxy-2,2-dimethyl-2*H*-chromenes 403
Aspartate aminotransferase 727
Axial and planar chirality 1045
Axial chirality 1053
Aza arenes 13
Azasulfonium mesitylene sulfonates 539
Azide, Cs-Eu, crystal structure 781
Azides, crystal structure 91
Azomethine ylides 529
Azomethines, (5-nitro-2-furyl)- 931

Barium-ruthenium-manganese oxide, crystal structure 635
Barium-strontium oxomercurate, crystal structure 787
Bayesian estimation 119, 999
Benzaldoxime, deoximation of 109
Benzamides, hydrogen bonds in 809

Benzenesulfonylhydrazones, NOE of 837
Benzo[4,5]thieno[2,3-c]pyridazine, derivatives of 299
Benzo[b]thieno[2,3-d]thiophene-8,8-dioxide 299
Benzo[b] thiophen-1,1-dioxide, 2,3-dihydro-3-oxo- 299
Benzopyran derivatives 403
1,5-Benzothiazepin-4(5*H*)-ones, 2-methyl-2,3-dihydro- 293
1-Benzylpyrazol-4-carbaldehyde derivatives 837
Bichromophores 67, 209, 317
Bicyclic esters 963
Bicyclo[2.2.1]hept-2-exo-yl)-ethanol, 1-(3,3-dimethyl- 549
Bicyclo[3.3.1]nonanes, 2-oxa- 847
1,1′-Biferrocenyls, crystal structure 945
Biladiene-a,b-dione 209
Bile pigment-protein complexes 893
Bile pigments, s. Pyrrole pigments
Bilindiones, 59, 893, 903
Bilindiones, 10-aryl-1,19- 317
Bilirubin metabolism 653
Biliverdins, pKa of 653
Binary liquid mixtures 593
Biopolymers, optical rotation of 311
Bipyridyldiamines 821
Bipyrrines, 5-aryl 67
Bond orbitals Fe-Zr 493
Boron complexes 447
Boron complexes, vibronic behaviour 437
Bromochlorofluoroacetic acid 31

Cadmium(II) complexes 1
Cage compound 847
Calcium disilicide 259
Carbon-H insertion 755
Carbondisulfide 1005
Carissa opaca 941
Carissone, crystal structure 941
Catalysis, in H_2-Br_2 storage system 979
Catalytic insertion reactions 755
Cerylcerotinate 433
Cesium-europium azide, crystal structure 781
Cesium-zinc azide, crystal structure 91
Charge distribution, in KNa-oxoindate 853
Charge transfer complexes 165
Chelation, in bile pigments 903
Chevrel phases, Sr-Mo-S 505
Chiroptical properties 293, 317, 893, 903, 945
Chloroacetate buffer 471
Chlorosilanes 1031
Chromenes, arylsulfonyloxy-2,2-dimethyl-2*H*- 403
Chromones 267
Circular dichroism 893
Claisen rearrangement 883
Classification methods 237
Cluster compounds, Zr-Fe 493
Cluster model 331
Complex equilibria 481, 625
Complex salts 249
Complexes, 1, 91, 99, 113, 165, 351, 377, 437, 447, 455, 481, 585, 601, 615, 625, 703, 715, 731, 739, 747, 765, 879, 893
Complexing process, on immobilized matrices 601
Conductivity, of samarium soaps 461
Conformational analysis 59, 317, 339, 403, 511, 727, 809, 903, 1045
Copper (II) catalysis 755
Coronoid 421
Correlation, in the lanthanide series 731
Cotton effects 293
Coumarin derivatives 85
Covalency, in lanthanides 731
Craig distribution 609
"Crowns" 421
Crystal structure, Acridinone, 9(10*H*)-derivative 147
–, $Ba_{0.75}Sr_{0.25}HgO_2$ 787
–, Barium-ruthenium-manganese oxide 635,
–, Biferrocenyls 945
–, Carissone ($C_{15}H_{24}O_2$) 941
–, $Cs_5Eu(N_3)_8$ 781

–, Cyclooctatetraenyl(methylcyclopentadienyl)-(tetrahydrofuran)yttrium(III) 747
–, Dicesium-tetraazido-zincate 91
–, Diphenylethanediammonium tartrate 1039
–, Hydroxy-N,N-dimethyl-benzamide 129
–, Hydroxy-N,N-dimethyl-thiobenzamide 129
–, Hydroxybenzamide 129
–, Hydroxythiobenzamide 129
–, $K_3Na_2[InO_4]$ 853
–, Meso-10,10′-dibromo-2,2′-bi(1,6-methano[10]-annulenyl) 1045
–, N-Acetyl-$C^{\alpha,\alpha}$-di-*n*-butylglycine 511
–, Oxazolo[4,5-h]bezoxazinone derivative 555
–, Salicylaldehyde semicarbazone 641
–, $SrMo_6S_8$ 505
–, Trithiocyanuric acid – *THF* – 1,4-dioxan 99
Cuprate(III), diperiodato- 109
α-Cyano ester 549, 963
3-Cyano-4,6-diphenyl-2-mercaptopyridine 281
Cyanomethylene compounds 189
Cyclization, of furano- and pyrano-acridones 157
Cyclization, oxidative 221
Cycloaddition 81
Cycloaddition, 1,3-dipolar 529
Cyclocondensation reaction 677
Cycloelimination 385, 539
Cyclohexane, internal dynamics of 339
Cyclooctatetraenyl complex, crystal structure of 747
Cyclooctatetraenyl(methylcyclopentadienyl)-(tetrahydrofuran)yttrium(III), crystal structure 747
Cyclopentadienone 13
Cyclopentadienyl complex, crystal structure of 747
Cytosine, complexes of 1
Dealkylation 227
Dehydration 403
E-Dehydro-homo-β-santalol 195
Dehydrogenation, photochemical 85
Deoximation, of benzaldoxime 109
6-Deoxy-1,2-O-isopropylidene-β-*L*-idofuranose 691
6-Deoxy-1,2-O-isopropylidene-β-*L*-talofuranose 691
Deuterated phenyldisilanes 365
Deuteration 81
Dialkylphosphonates 1031
Diasteremers, separation of 1053
Diazepines, dipyrido[1,3]- 821
1,3-Diazepinone, 1,2,4-triazolo[4,3-a]- 173
Diazinon analogues 289
Dibenzo[a,c]acridine 13
Dibenzo[a,c]anthracene 13
Dibenzo[a,c]phenazine 13
1,4-Dibromo-2-methyl-2-butene 829
Dichlorodialkoxysilanes 1031
Dichlorodiorganosilanes 1031
4-Dicyanomethylen-homophthalimide 189
Diethyl(ethylenebis-β-aminocrotonate) 715
1,2-Difluoro-1-chloro-2-methoxyethylene 31
5,6-Dihydro-2*H*-pyranes 963
2,3-Dihydro-3-oxo-benzo[b]thiophen-1,1-dioxide 299
2,3-Dihydro-7-benzofurancarboxylic acid 883
2,3-Dihydrobilindiones 209, 893
Diketonates, oxovanadium-β- 879
1,3-Diketonato boron complexes 437, 447
1,3-Diketone, bicyclic 847
3,3-Dimethoxypropanoate 203
9,9-Dimethyl-2-oxa-bicyclo[3.3.1]nonane 847
2,2-Dimethyl-4-chromanones 403
1-(3,3-Dimethylbicyclo[2.2.1]hept-2-exo-yl)-ethanol 549

3,3-Dimethylbicyclo[2.2.2]octanes 955
3,4-Dinitrobenzoates 739
1,3-Dioxan-4,6-diones, 5-(alkylthio-amino)-methylen-2,2-dimethyl- 1005
1,3-Dioxanes 963
Diperiodatocuprate(III) 109
(*S,S*)-Diphenylethanediammonium (*R,R*)-tartrate, crystal structure 1039
Diphosphines, macrocyclic 1053
1,3-Dipolar addition 555
Dipyrido[1,3]azepines 821
Dipyrrinones 209
Directed lithiation 883
Disilanes 361, 365, 793
Disiloxanes 865
Disproportionation, of silanes 793
1,3-Dithia-2-arsa-cyclopentanes 377
1,3-Dithia-2-stiba-cyclopentanes 377
Dithiocarbacinic acid 923
Dithiocarbamate complexes 377

Eht method 331
Electrocatalyst 979
Electrochemical formation, of polysilanes 793
Electrochemistry 765
Electron transfer 371
Electronic spectra 59, 317, 455, 879, 893
Electronic systems, substructures of 237
Electrophilic substitution 77
Electroreduction 991
Elementary reactions 331
Emission, nitro-*PAH* 393
Enantioselectivity 755
Energy transfer 67, 209
Epimerization 275
Epoxidation 709
Erbium(III), extraction of 585
Ethyl oxamate 703
Ethylmercaptane 803
Europium-cesium azide, crystal structure 781
Exciton coupling 317

Ferrocene derivatives 413, 945
Ferron 471
Fine structure analysis 141
Flavone, 3-hydroxy- 455
Flexible molecules 339
Fluorescence 67, 209, 437
Fluorine silicon system 331
Fluoroaluminates 357
Fluorochlorobromoacetic acid 31
Fragrance 847
Friedelin 433
Fries rearrangement 227
Fungicidal activity 549, 963
Furil 51
Furoquinoline 1017

Gc-ms 393
Gelatin layer 601
Geminal dimethyl 549
Glass forming region 89
Glutaconic acid 203
Glycine, N-acetyl-$C^{\alpha,\alpha}$-di-*n*-butyl-, crystal structure 511
Glycocitrine-II 157
β-Glycofuranosyl isocyanides 683
Graph theory 237

Halogenation 565
Herzberg-Teller approach 437
Heterocycles 45, 59, 67, 77, 81, 99, 113, 157, 165, 173, 209, 221, 281, 289, 293, 299, 317, 377, 403, 517, 555, 565, 653, 665, 671, 677, 683, 697, 709, 821, 829, 883, 893, 903, 909, 963, 991, 1017, 1023
Hexacyanoferrate(II) ligand 601
Hexamethylenetetramine, complex salts 249
3-Hexene-1,6-dioic acid 203
Hindered amines 803
E-Homo-β-santalol 195
Homocamphene 955
Homocamphenilone 955
E,E-Homoisosantalole 955
Homomecamylamine 955
Hydrazones, NOE of 837
Hydrofluorides 875
Hydrogen anode 979

Hydrogen bond 99
Hydrogen bond geometries 809
Hydrogen bond, in molecular associates 165
Hydrogen bond, intermolecular 129
Hydrogen bond, intramolecular 129
Hydrogen bonds, O−H···O(S) 809
Hydrogen electrode 979
Hydrogen oxidation 979
Hydrogen-bromine rechargeable cell 979
1-Hydroxy-2-phenylindole 165
2-Hydroxy-*N,N*-dimethyl-benzamide, crystal structure of 129
2-Hydroxy-*N,N*-dimethyl-thiobenzamide, crystal structure of 129
Hydroxyacridones 829
2-Hydroxybenzamide, crystal structure of 129
2-Hydroxybenzamides, hydrogen bonds 809
3-Hydroxyflavone 455
o-Hydroxyketones 227
Hydroxylammonium aluminates 357
2-Hydroxythiobenzamide, crystal structure of 129
2-Hydroxythiobenzamides, hydrogen bonds 809

Idofuranose, 6-deoxy-1,2-O-isopropylidene-β-*L*- 691
Immission, nitro-*PAH* 393
Immobilized matrices, complexing processes on 601
Indate, sodium-potassium oxo-, crystal structure of 853
Indoles 77
Infra red spectroscopy 141, 249, 365, 437, 615, 809
Insecticidal activity 289, 549, 963
Insertion reactions, S−H and C−H 755
Intensity borrowing effect 437
Intermolecular hydrogen bond 129
Internal conversion 447
Internal dynamics, of cyclohexane 339
Interstitial bond, Fe−Zr 493
Intramolecular hydrogen bond 129
Ion exchange resin 829
Ionization energies 13
Isocomphenilanic acid 549
Isocyanates 1005
Isomeric formyl- and dimethylaminomethyl-ferrocenes 413
Isomerism, *E*/*Z* 923
Isonicotine amides, secondary 909
Isoquinolines, pyrrolo[2,1-a]- 529
Isorutacridone 829
Isothiazolo[5,4-b]pyridine, 3-oxo-2,3-dihydro- 281
Isothiocyanates 1005
Isoxazolylpyrazolo[3,4-c]pyrazole 1023

Kinetic protonation 275
Kinetics 109, 471, 571

Laminated structure, of silicon compounds 259
Lanthanide, complex chloride salts 249
Lanthanide 3,4-dinitrobenzoates 739
Lanthanide complexes 351, 715, 739
Lanthanide tetrads 731
Lanthanum complexes 739
Lawsone 481
Levulinic acid 931
Lippmann diagrams, of alkali halides 999
Lithiation 909
Lithiation, directed- 883
Luminescence 67, 209
Lutetium(III), extraction of 585

Macrocyclic diphosphines 1053
Macromolecules, optical rotation of 311
Magnetic moments 703, 715
Manganese-barium-ruthenium oxide, crystal structure 635
Mannich reaction 413
Maple calculation 853
Mechanism 109, 571
Medium pressure chromatography 413
Meldrum's acid 1005
Mercurate, Ba−Sr-oxo-, crystal structure 787

Mercury(II) determination 481
Meso-10,10′-dibromo-2,2′-bi(1,6-methano-[10]-annulenyl), crystal structure 1045
Metabolism, of bilirubin 653
5-Methoxyacronycine 709
4-Methoxyindole 77
Methyl acrylate 385, 539
2-Methyl-2,3-dihydro-1,5-benzothiazepin-4(5*H*)-ones 293
Micelles 501
Michael reaction 275
Molecular connectivity indices 593
Molecular geometry, anthanthrene 141
Molecular orbital calculation 13
Molybdenum strontium sulfide, x-ray powder diffraction 505

Naphtho-thieno-pyrimidine 697
Naphthothiophene derivatives 697
Naphthyldisilanes 361
Naphthylsilanes 361
Neighboring group participation 267
Nickel(II) complexes 765
Nicotinate, 2-amino-4,6-biphenylethyl- 281
5-Nitro-1,3-dioxane 963
(5-Nitro-2-furyl)azomethines 931
Nitro-*PAH* 393
Nmr, 1-H 13, 81, 555, 837, 923
–, 27-Al 113
–, 29-Si 361
Nonacosane 433
Noracronycine 157
Norbornane derivatives 549
Nuclear Overhauser effect 837, 923
Nucleophilic displacement 1017

Odour, of β-santalol analogues 195
Oligopyrrol systems 209
Optical active catalysts 755
Optical rotation, solid state measurement of 311
Optically active thio ethers 293
Organometallic 413, 615, 747, 945, 1045
Organylaminosilanes 865
Orthoformate, triethyl- 77
Oxadiazoles, 2-amino- 665
1,3,4-Oxadiazolo[3,2-a]pyrimidin-5-ones 665
μ-Oxamato bridges 703
Oxamato inorganic complexes 703
1,2-Oxazolines 555
Oxazolo[4,5-*H*]bezoxazinone derivative, crystal structure 555
Oxidation, of acetanilide 571
Oxidative cyclization 221
Oxidative deoximation, of benzaldoxime 109
Oxide, barium-ruthenium-manganese, crystal structure 635
Oximes, NOE of 837
Oxoindate, potassium-sodium, crystal structure of 853
Oxomercurate, Ba–Sr, crystal structure 787
Oxovanadium(IV) β-diketonates 879
Ozonolysis, of olefins 203

Palladium(II) determination 625
Pentacoordination, proof of – in Sn(IV)-organic compounds 615
Pesticides 931
Phase diagrams 119
Phase diagrams, of alkali halide systems 999
Phase transfer catalysis 147
Phase transition, Sr–Mo–S 505
Phenitidine 525
1-Phenyl-3-methyl-4-benzoyl-pyrazolone-5 (H*PMBP*) 585
Phenyldisilanes 365
Phenylhydrazones, NOE of 837
3-Phenylpropiophenones 371
Phosphonates 1031
Phosphoranes, caged 51
Phosphorothiolate esters, O,O-dimethyl- 289
Photochemical dehydrogenation 85
Photofragmentation 371
Photolysis 267
Photophysical deactivation 141
Photosensibilization 371
Picoline amides, secondary 909
Picolinic acid, complexes of 113

Pipecolinic acid, complexes of 113
Pka, of biliverdins 653
Planarchiral compounds 1045
Plasma etching 331
Point charges, non-conjugated 59
Polymers, optical rotation of 311
Polysilanes 793
Polysilanes, alkoxy- 259
Pore filling mechanism 971
Potassium, sodium oxoindate, crystal structure of 853
Powder diffraction, of strontium molybdenum sulfide 505
Powder suspension, optical rotation of 311
Prenylacridinones 157
Protein – bile pigment complexes 893
Prototropic rearrangement 147
Pseudorotation 339
Pyranes 963
Pyrazole, hydrazono-5-chloro- 1023
Pyrazoles 517
Pyrazoles, fused systems 1023
Pyrazolines, 5-hydroxy-2- 517
Pyrazolo[3,4-c]pyrazole 1023
Pyrazolone derivatives 991
Pyrazolylpyrazolo[3,4-c]pyrazole 1023
Pyridazinecarbaldoxime methyl ethers 837
3(2*H*)-Pyridazinones 565
Pyridine, 3-cyano-4,6-diphenyl-2-mercapto- 281
Pyrimidine-2(*H*)-one derivatives 677
Pyrimidine-2(*H*)-thione derivatives 677
Pyrimidines, tetracyclic 697
Pyrimidinones,1,2,4-triazolo[1,5-a]- 173
1-Pyrimidinyl-3-aryl-ureas 677
Pyrrole pigments 59, 67, 209, 317, 653, 893
Pyrrolidin-2-one derivatives 671
Pyrrolo[2,1-a]isoquinolines 529
Pyrrolo[3,4-d]-1,2,3-triazol-4(2*H*,4*H*) one derivatives 671

Quenching 209
Quinolin-8-ol-5-sulfonic acid 471
Quinolinecarboxaldehydes 525

Radiative and non-radiative deactivation 447
Raman spectroscopy 249, 615
Rare earth complexes 739
Rare earth complexes, for extraction 585
Rare earth elements, Craig distribution of 609
Reduction, in bile pigments 903
Reduction, of nitroxides 803
Reduction, of tri(hetero)arylcarbinols 649
Retro Michael addition 189
Rhodium(II) catalysis 755
Rietveld refinement, Sr – Mo – S 505
Ring inversion 339
Ring opening, of pyridazinones 565
Rna, optical rotation of 311
Rutacridone 829
Ruthenium-barium-manganese oxide, crystal structure 635

Salicylaldehyde semicarbazone, crystal structure 641
Samarium soaps 461
β-Santalol analogues 195, 955
Schiff bases 525, 715
Semicarbazone, crystal structure 641
Semicarbazones, NOE of 837
Separation, of isomeric trisubstituted ferrocenes 413
Sesquiterpenoid 941
Silanes 361, 793, 865, 1031
Silicon compounds, laminated structure of 259
Silicon fluorine system 331
Small-angle X-ray scattering 727
Sodium, potassium oxoindate, crystal structure of 853
Solid state measurement, of optical rotation 311
Solubility 99
Solution structure 727
Solvatochromism 765
Solvent effects 879

Spectrophotometric determination, Hg(II) 481
Spectrophotometric determination, Pd(II) 625
Stability constants 351
Stannatrane 615
Stereochemistry, of Michael reaction 275
Stiba 377
Strontium molybdenum sulfide, x-ray powder diffraction 505
Strontium-barium oxomercurate, crystal structure 787
Structure-odour relationship 195
Substructures, of electronic systems 237
Sulfenamides 539
Sulfenanilides 385
Sulfide, strontium-molybdenum, x-ray powder diffraction 505
Sulfimides 385, 539
Sulfur-H insertion 755
Superior structures 237
Superoxide anion 653
Surface tension 593
Surfactants 501
Sw − Xα, Fe − Zr 493

Talofuranose, 6-deoxy-1,2-O-isopropylidene-β-*L*- 691
Tautomerism 517
Tensides 501
Tetracyanoethylene 189
Tetrahydrofurans, from β-glycofuranosyl isocyanides 683
Tetraketones 765
Tetramethyldiamine 765
Tetrazoloquinoline 1017
Theoretical rate constants 447
Thermal decomposition 357
Thermodynamic functions 119, 999
Thermodynamic parameters, prediction of 875
Thermogravimetry 99
Thermolysis 385, 539
Thiazepin-4(5*H*)-ones, 2-methyl-2,3-dihydro-1,5-benzo- 293
Thiazolidones 1005
4*H*-Thieno[2,3-b][1]benzothiopyran-4-ones 45
Thin gelatin layer 601
Thio ethers, optically active 293
Thiophene, in polycyclic heterocycles 299
Thiosemicarbazones, NOE of 837
Thymols 227
Tin(V), organic compounds 615
Titaniumtetrachloride 227
p-Tolyldisilanes 365
Topology, correlation to surface tension 593
Torsional isomers 945, 1045
Tri(hetero)arylcarbinols 649
Tri(hetero)arylmethanes 649
1,2,4-Triazolo[1,5-a]pyrimidinones 173
s-Triazolo[3,4-b]-1,3,4-thiadiazoles 221
1,2,4-Triazolo[4,3-a]-1,3-diazepinone 173
s-Triazoloquinoline 1017
2,8,9-Tricarbastannatranes 615
4-Tricyanopropyliden-homophthalimide 189
Triethyl orthoformate 77
1,1,2-Trifluoro-2-chloroethylene, bromination of 31
4-Trifluoromethylpyrimidines 289
2,4,6-Triphenylpyrylium tetrafluoroborate 371
Triterpenes 433
Trithiocyanuric acid − *THF* − 1,4-dioxan, crystal structure 99
Tungsten carbide 979

Ultrasonic measurements 461, 577
Unit cell volume 731
Uranyl(II), 3-hydroxyflavone complex 455
Urban air 393
Uv-vis, s. Electronic spectra

Vanadium(V), oxidation with 571
Vibrational spectroscopy, Sn(IV)-organic compounds 615

Vibronic spectral behaviour, of anthanthrene 141
Vibronic spectral behaviour, of boron complexes 437
Vilsmeier-Haak reaction 1023
Vinylpyrazole 81

Wax ester 433
Wood combustion 393
Woody odour 955

Ylide-phosphoranes 51
Ytterbium(III), extraction of 585
Yttrium complexes 739
Yttrium soaps 577
Yttriumorgano compound, crystal structure of 747

Zinc azides, crystal structure 91
Zirconium cluster compounds 493